




Page 1 of 6


**DESCRIPTION WIFI ANTENNA** 

FREQUENCY 2400~2500MHz

W1059

Series : ANTENNA





All dimensions are in mm

Issue: 1545

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION







Page 2 of 6

**DESCRIPTION WIFI ANTENNA** 

W1059

FREQUENCY 2400~2500MHz

Series: ANTENNA

		CDEC		TIONIO
ELECT	RICAL	SPEG	IHIC;A	HONS
			$\cdots$	

Frequency 2400~2500 MHz

Nominal Impedance 50  $\Omega$ 

VSWR <2

Gain 5  $dBi \pm 1 dB$ 

Radiation Pattern Omni

Vertical Plane 55 °±5°

Polarization: Vertical

Connector type SMA MALE

Length 195 mm

Issue: 1545







Page 3 of 6

**DESCRIPTION WIFI ANTENNA** 

W1059

FREQUENCY 2400~2500MHz

Series: ANTENNA

### **MECHANICAL SPECIFICATIONS**

Plastic radome TPEE

Color BLACK

Weight 29.2 g

#### **ENVIRONMENTAL SPECIFICATIONS**

Operating temperature -20/+65 ° C

Storage temperature -30/+75 ° C

Issue: 1545







Page 4 of 6

**DESCRIPTION WIFI ANTENNA** 


FREQUENCY 2400~2500MHz

W1059


Series : ANTENNA

# **Charts**

#### **VSWR**



### Efficiency



Issue: 1545

ROHS

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Page 5 of 6

**DESCRIPTION WIFI ANTENNA** 

W1059

Series: ANTENNA

FREQUENCY 2400~2500MHz












Page 6 of 6


#### **DESCRIPTION WIFI ANTENNA**


## W1059

FREQUENCY 2400~2500MHz

Series: ANTENNA







Issue: 1545

ROHS

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION