

AMP 4805 REV 31MAR2000

| LOC | DIST | | | REVISIONS | | | |
|-----|------|---|-----|----------------------------|-----------------|-----|------|
| GP | 00 | Р | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | | В | RELEASED PER ECO-09-022874 | 90CT2009 | ZMR | MRS |
| | | | С | REVISED PER ECO-10-004036 | 0 MAR 2 0 0 | CJV | MRS |
| | | | D | REVISED PER ECO-12-014021 | 10DEC2012 | TD | AC |
| | 24 - | | | | | | |

CAGE ASSEMBLY - 0.25mm THICK NICKEL SILVER ALLOY GASKET RETENTION PLATE - STAINLESS STEEL

DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.

5. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT


 \triangle hole pattern repeats for each port. Spacing between ports is

REFFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

▲ REFFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

A 2007181-1, CAGE ASSEMBLY, AND 2007182-1, LIGHT PIPE ASSEMBLY ARE PACKAGED TOGETHER AS A COMPLETED ASSEMBLY. II. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.

| | 2007421-1 |
|---|--|
| | P A R T N U M B E R |
| UMENT FOR TYCO ELECTRONICS CORPORATION CONTROLLING ENGINEERING ORGANIZATION FOR THE LATEST REVISION. TOLEDANCES UNVESS | Tyco Electronics Electronics Harrisburg, PA 17105-3608 |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: IM.I.SCHIMITT 0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 | SFP+ IX4 CAG ASSEMBLY PRESS FIT, EMI GASKET W/ LIGHT PIPES |
| 4 PLC ±0.1 <u>ANGLES ±1°0'</u> 114-13120 FINISH | SIZE CAGE CODE DRAWING NO RESTRICTED TO A 00779 C=2007421 - |
| - Customer Drawing | SCALE 6:1 SHEET OF REV |



2007421-1 MOUNTED ON PCB SHOWN THRU RECOMMENDED BEZEL SCALE 5:1

AMP 4805 REV 31MAR2000

THIS DRAWING IS A CONTROLLED DOC IT IS SUBJECT TO CHANGE AND THE SHOULD BE CONTACTED DIMENSIONS: mm

| DOCUMENT FOR TYCO ELECTRONICS CORPORATION HE CONTROLLING ENGINEERING ORGANIZATION ED FOR THE LATEST REVISION. | | DWN 2NOV2007 Z.M.REAM 2NOV2007 | Tyco Electronics | | | | | |
|---|--|--|---|--|--|--|--|--|
| | TOLERANCES UNLESS OTHERWISE SPECIFIED: | M.R.SCHMITT Apvd 2NOV2007 R.H.WERTZ | NAME | Harrisburg, PA 17105-3608 SFP+ IX4 CAG ASSEMBLY | | | | |
| -1 | 0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 | PRODUCT SPEC 108-2364 APPLICATION SPEC | PRESS FIT, EMI GASKET W/ LIGHT PIPES | | | | | |
| 1 | 4 PLC ±0.1 ANGLES ±1°0′ FINISH | 4- 3 20 WEIGHT_ | s i ze | e cage code drawing no restricted to C-2007421 - | | | | |
| | - | Customer Drawing | / \ | SCALE 6: 1 SHEET 2 3 REV D | | | | |

В

D

